

4000 Series Masonry Frames

June 2013

COMPLETE FRAMES

16 GAUGE MASONRY UN-EQUAL RABBIT

S I N G L E	WIDTH	HEIGHT	DEPTH					
	2'0", 2'4"	6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
		7'0"						
	2'6", 2'8"	7'2"						
		8'0"						
	2'10", 3'0"	8'1" - 10'0"						
F R A M E S	3'4", 3'6"	6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
		7'0"						
	3'8", 3'10"	7'2"						
		8'0"						
	4'0"	8'1" - 10'0"						

D O U B L E	4'0", 4'8"	6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
		7'0"						
	5'0", 5'4"	7'2"						
		8'0"						
	5'8", 6'0"	8'1" - 10'0"						
F R A M E S	6'8", 7'0"	6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
		7'0"						
	7'4", 7'8"	7'2"						
		8'0"						
	8'0"	8'1" - 10'0"						

16 GAUGE COLD ROLLED FRAMES COMPONENTS

HINGE JAMBS	DEPTH					
6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
7'0"						
7'2"						
8'0"						
8'1" - 10'0"						
STRIKE JAMBS						
6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
7'0"						
7'2"						
8'0"						
8'1" - 10'0"						
SINGLE HEAD						
2'0" - 3'0"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
3'1" - 4'0"						
PAIR HEAD						
4'0" - 6'0"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
6'1" - 8'0"						

In stock depths: 4.75", 5.75", 6.25", 6.75", 7.125", 7.25", 7.75", 8.25", 8.75", 9.25", 9.75", 10.25" and 10.75"

- Other Jamb depths are available with lead time. Consult factory. Fire label WHI 3HR Positive Pressure,  smoke label.
- Masonry frames are prepared for ASA strike.
- Includes anchors. Please specify type. ANCHORS: **WS** = Wood Stud, **SS** = Steel Stud, **MA** = Masonry Wire



4000 Series Masonry Frames

June 2013

16 GAUGE STOCK MASONRY FRAMES UNEQUAL RABBET

- Other jamb depths available. Consult Factory.
Fire label WHI 3HR listed. **S** Smoke label.
- Masonry frames are prepared for ASA strike.

- Includes anchors. Please specify type.

ANCHORS:

WS = Wood Stud SS = Steel Stud MA = Masonry Wire

Hand	Item	Size	Depth	Type/Ga.
RH	4000	3068	4.75"	16
LH	4001			
RH	4002	3070		
LH	4003			
RH	4004	3080		
LH	4005			
RH	4076	2068	5.75"	16
LH	4077			
RH	4078	2070		
LH	4079			
RH	4080	2080		
LH	4081			
RH	4082	2668		
LH	4083			
RH	4084	2670		
LH	4085			
RH	4086	2868		
LH	4087			
RH	4088	2870		
LH	4089			
RH	4090	2880		
LH	4091			
RH	4092	2680		
LH	4093			
RH	4094	21068		
LH	4095			
RH	4096	21070		
LH	4097			
RH	4098	21080		
LH	4099			
RH	4100	3068		
LH	4101			
RH	4104	3070		
LH	4105			
RH	4126	4068		
LH	4127			
RH	4128	4070		
LH	4129			
RH	4130	4080		
LH	4131			
RH	4108	3068	5.75"	*16G Galvanized
LH	4109			
RH	4124	3668		
LH	4125			
RH	4112	3070		
LH	4113			
RH	4122	3670		
LH	4123			
RH	4116	3080		
LH	4117			
RH	4120	3680		
LH	4121			

Hand	Item	Size	Depth	Type/Ga.
RH	4118	4080	5.75"	*16G Galvanized
LH	4119			
RH	4132	3072		
LH	4133			
RH	4134	4072		
LH	4135			
RH	4400	2068	6.25"	16
LH	4401			
RH	4403	2070		
LH	4404			
RH	4490	2080		
LH	4491			
RH	4406	2468		
LH	4407			
RH	4409	2470		
LH	4410			
RH	4488	2480		
LH	4489			
RH	4412	2668		
LH	4413			
RH	4415	2670		
LH	4416			
RH	4486	2680		
LH	4487			
RH	4418	2868		
LH	4419			
RH	4421	2870		
LH	4422			
RH	4484	2880		
LH	4485			
RH	4424	21068		
LH	4425			
RH	4427	21070		
LH	4428			
RH	4482	21080		
LH	4483			
RH	4430	3068		
LH	4431			
RH	4433	3070		
LH	4434			
RH	4480	3080		
LH	4481			
RH	4436	3668		
LH	4437			
RH	4439	3670		
LH	4440			
RH	4478	3680		
LH	4479			
RH	4442	4068		
LH	4443			
RH	4445	4070		
LH	4446			
RH	4476	4080		
LH	4477			



4000 Series Masonry Frames (Continued)

June 2013

Hand	Item	Size	Depth	Type/Ga.
RH	4600	2068	6.75"	16
LH	4601			
RH	4603	2070		
LH	4604			
RH	4648	2080		
LH	4647			
RH	4606	2468		
LH	4607			
RH	4609	2470		
LH	4610			
RH	4650	2480		
LH	4649			
RH	4612	2668		
LH	4613			
RH	4615	2670		
LH	4616			
RH	4652	2680		
LH	4651			
RH	4618	2868		
LH	4619			
RH	4621	2870		
LH	4622			
RH	4654	2880		
LH	4653			
RH	4624	21068		
LH	4625			
RH	4627	21070		
LH	4628			
RH	4656	21080		
LH	4655			
RH	4630	3068		
LH	4631			
RH	4633	3070		
LH	4634			
RH	4658	3080		
LH	4657			
RH	4636	3668		
LH	4637			
RH	4639	3670		
LH	4640			
RH	4660	3680		
LH	4659			
RH	4642	4068		
LH	4643			
RH	4645	4070		
LH	4646			
RH	4662	4080		
LH	4661			
RH	4700	2068	7.125"	16
LH	4701			
RH	4703	2070		
LH	4704			
RH	4748	2080		
LH	4747			
RH	4706	2468		
LH	4707			
Hand	Item	Size	Depth	Type/Ga.

RH	4709	2470	7.125"	16
LH	4710			
RH	4750	2480		
LH	4749			
RH	4712	2668		
LH	4713			
RH	4715	2670		
LH	4716			
RH	4752	2680		
LH	4251			
RH	4718	2868		
LH	4719			
RH	4721	2870		
LH	4722			
RH	4754	2880		
LH	4753			
RH	4724	21068		
LH	4725			
RH	4727	21070		
LH	4728			
RH	4756	21080		
LH	4755			
RH	4730	3068		
LH	4731			
RH	4733	3070		
LH	4734			
RH	4758	3080		
LH	4757			
RH	4736	3668		
LH	4737			
RH	4739	3670		
LH	4740			
RH	4760	3680		
LH	4759			
RH	4742	4068		
LH	4743			
RH	4745	4070		
LH	4746			
RH	4762	4080		
LH	4761			
RH	4201	3068	7.25"	16
LH	4202			
RH	4203	3070		
LH	4204			
RH	4205	3080		
LH	4206			
RH	4207	4068		
LH	4208			
RH	4209	4070		
LH	4210			
RH	4211	4080		
LH	4212			
RH	4220	3068	7.75"	*16G Galvanized
LH	4221			
RH	4232	3668		
LH	4233			



4000 Series Masonry Frames (Continued)

June 2013

Hand	Item	Size	Depth	Type /Ga.
RH	4224	3070	7.75"	*16G Galvanized
LH	4225			
RH	4234	3670		
LH	4235			
RH	4228	3080		
LH	4229			
RH	4236	3680		
LH	4237			
RH	4230	4080		
LH	4231			
RH	4340	3068	8.25"	*16G Galvanized
LH	4341			
RH	4352	3668		
LH	4353			
RH	4344	3070		
LH	4345			
RH	4354	3670		
LH	4355			
RH	4348	3080		
LH	4349			
RH	4356	3680		
LH	4357			
RH	4350	4080		
LH	4351			
RH	4800	3068	8.75"	16
LH	4801			
RH	4803	3070		
LH	4804			
RH	4806	4068		
LH	4807			
RH	4809	4070		
LH	4810			
RH	4816	3068	9.25"	16
LH	4817			
RH	4818	3070		
LH	4819			
RH	4820	3080		
LH	4821			
RH	4822	4068		
LH	4823			
RH	4824	4070		
LH	4825			
RH	4826	4080		
LH	4827			
RH	4880	3068	9.75"	16
LH	4881			
RH	4882	3070		
LH	4883			
RH	4884	3080		
LH	4885			
RH	4886	4068		
LH	4887			
RH	4888	4070		
LH	4889			
RH	4890	4080		
LH	4891			

Hand	Item	Size	Depth	Type /Ga.
RH	4892	3070	10.25	*16G
LH	4893			
RH	4894			
LH	4895			

COMPONENT HEADS

Item #	Description	Depth	Length
57530H4	4" Face head	5.75"	36"
*G57530H4	4" Face head *Galvanized	5.75"	36"
57540H4	4" Face head	5.75"	48"
*G57540H4	4" Face head *Galvanized	5.75"	48"
57560H4	4" Face head	5.75"	72"
*G57560H4	4" Face head *Galvanized	5.75"	72"

- Other jamb depths available. Consult Factory.
Fire label WHI 3HR listed. **(S)** Smoke label.
- Masonry frames are prepared for ASA strike.
- Includes anchors. Please specify type.

ANCHORS:

WS = Wood Stud

SS = Steel Stud

MA = Masonry Wire Anchors



16 GAUGE

STOCK MASONRY FRAMES, UNEQUAL RABBET
90 Minutes WHI Positive Pressure, (S) Smoke Label

FOR CURRIES, DEAN STEEL / MESKER & PIONEER LOCATIONS



- Other jamb depths available. Consult factory
- Fire label WHI 3HR Listed. (S) Smoke Label
- Masonry frames are prepared for ASA strike

HAND	ITEM	SIZE	DEPTH	TYPE/GA.
CURRIES				
RH	CU4100	3068	5.75"	16
LH	CU4101			
RH	CU4104	3070		
LH	CU4105			

DEAN STEEL / MESKER				
RH	DE/ME4100	3068	5.75"	16
LH	DE/ME4101			
RH	DE/ME4104	3070		
LH	DE/ME4105			

PIONEER				
RH	PI4100	3068	5.75"	16
LH	PI4101			
RH	PI4104	3070		
LH	PI4105			

